



**General Information:**

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.



- Thermal Deformation:**
- Do not expose to temperatures >140°F (60°C)
- Care and Handling:**
- Keep out of the sunlight and covered when not in use
  - Keep away from steam, acids, and certain fuels
  - For further instructions refer to the application guide

**Thermal expansion:**

- +/- 1/8" @ 70°F

**Note:**  
 Pattern may require additional backing. We recommend a mockup pour simulating job conditions.



Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8000-STY	1	4'x10'	White
ABS	8000-ABS	Up to 10	4'x10'	Gray

# Pattern# 8001

## Sandblast Medium

**General Information:**

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.



- Thermal Deformation:**
- Do not expose to temperatures >140°F (60°C)
- Care and Handling:**
- Keep out of the sunlight and covered when not in use
  - Keep away from steam, acids, and certain fuels
  - For further instructions refer to the application guide
- Thermal expansion:**
- +/- 1/8" @ 70°F
- Note:**  
Pattern may require additional backing. We recommend a mockup pour simulating job conditions.

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8001-STY	1	4'x10'	White
ABS	8001-ABS	Up to 10	4'x10'	Gray






# Pattern# 8002

## Sandblast Coarse

**General Information:**

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.





- Thermal Deformation:**
- Do not expose to temperatures >140°F (60°C)
- Care and Handling:**
- Keep out of the sunlight and covered when not in use
  - Keep away from steam, acids, and certain fuels
  - For further instructions refer to the application guide
- Thermal expansion:**
- +/- 1/8" @ 70°F
- Note:**  
Pattern may require additional backing. We recommend a mockup pour simulating job conditions.

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8002-STY	1	4'x10'	White
ABS	8002-ABS	Up to 10	4'x10'	Gray

### General Information:

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.



#### Thermal Deformation:

- Do not expose to temperatures >140°F (60°C)

#### Care and Handling:

- Keep out of the sunlight and covered when not in use
- Keep away from steam, acids, and certain fuels
- For further instructions refer to the application guide

#### Thermal expansion:

- +/- 1/8" @ 70°F




#### Note:

Pattern may require additional backing. We recommend a mockup pour simulating job conditions.

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8003-STY	1	4'x10'	White
ABS	8003-ABS	Up to 10	4'x10'	Gray

### General Information:

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.



#### Thermal Deformation:

- Do not expose to temperatures >140°F (60°C)

#### Care and Handling:

- Keep out of the sunlight and covered when not in use
- Keep away from steam, acids, and certain fuels
- For further instructions refer to the application guide

#### Thermal expansion:

- +/- 1/8" @ 70°F



#### Note:

Pattern may require additional backing. We recommend a mockup pour simulating job conditions.

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8004-STY	1	4'x10'	White
ABS	8004-ABS	Up to 10	4'x10'	Gray

### General Information:

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.



#### Thermal Deformation:

- Do not expose to temperatures >140°F (60°C)

#### Care and Handling:

- Keep out of the sunlight and covered when not in use
- Keep away from steam, acids, and certain fuels
- For further instructions refer to the application guide

#### Thermal expansion:

- +/- 1/8" @ 70°F

#### Note:



Pattern may require additional backing. We recommend a mockup pour simulating job conditions.

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8005-STY	1	4'x10'	White
ABS	8005-ABS	Up to 10	4'x10'	Gray



**General Information:**

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.



**Thermal Deformation:**

- Do not expose to temperatures >140°F (60°C)

**Care and Handling:**

- Keep out of the sunlight and covered when not in use
- Keep away from steam, acids, and certain fuels
- For further instructions refer to the application guide

**Thermal expansion:**

- +/- 1/8" @ 70°F


**Note:**

Pattern may require additional backing. We recommend a mockup pour simulating job conditions.

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8007-STY	1	4'x10'	White
ABS	8007-ABS	Up to 10	4'x10'	Gray

**General Information:**

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.



NO PICTURE AVAILABLE

- Thermal Deformation:**
- Do not expose to temperatures >140°F (60°C)

- Care and Handling:**
- Keep out of the sunlight and covered when not in use
  - Keep away from steam, acids, and certain fuels
  - For further instructions refer to the application guide

- Thermal expansion:**
- +/- 1/8" @ 70°F

**Note:**  
 Pattern may require additional backing. We recommend a mockup pour simulating job conditions.

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8008-STY	1	53"x126"	White
ABS	8008-ABS	Up to 10	53"x126"	Gray




# Pattern #8023

## Wave #2 (.375" Relief)


### General Information:

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.

**POSITIVE ISOMETRIC SHOWN**



Note:  
Pattern may require additional backing. We recommend a mockup pour simulating job conditions.



### Thermal Deformation:

- Do not expose to temperatures >140°F (60°C)

### Thermal expansion:

- +/- 1/8" @ 70°F

### Care and Handling:

- Keep out of the sunlight and covered when not in use
- Keep away from steam, acids, and certain fuels
- For further instructions refer to the application guide

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8023-STY	1	4'x10'	White
ABS	8023-ABS	Up to 10	4'x10'	Gray

# Pattern #8032

## Swirls #2 (.5" Relief)


### General Information:

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.

**POSITIVE ISOMETRIC SHOWN**



Note:  
Pattern may require additional backing. We recommend a mockup pour simulating job conditions.



### Thermal Deformation:

- Do not expose to temperatures >140°F (60°C)

### Thermal expansion:

- +/- 1/8" @ 70°F

### Care and Handling:

- Keep out of the sunlight and covered when not in use
- Keep away from steam, acids, and certain fuels
- For further instructions refer to the application guide

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8032-STY	1	4'x10'	White
ABS	8032-ABS	Up to 10	4'x10'	Gray




# Pattern #8041

## Tuft Pattern (1" Relief)


**General Information:**

Thermoformed ABS and Styrene plastic form liners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.

**POSITIVE ISOMETRIC SHOWN**



Note:  
Pattern may require additional backing. We recommend a mockup pour simulating job conditions.



**Thermal Deformation:**

- Do not expose to temperatures >140°F (60°C)

**Thermal expansion:**

- +/- 1/8" @ 70°F


**Care and Handling:**

- Keep out of the sunlight and covered when not in use
- Keep away from steam, acids, and certain fuels
- For further instructions refer to the application guide

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8041-STY	1	4'x10'	White
ABS	8041-ABS	Up to 10	4'x10'	Gray

### General Information:

Thermoformed ABS and Styrene plastic formliners are an inexpensive alternative for providing architectural concrete. The Styrene single use liner is the least expensive liner option. The ABS plastic formliner properties allows for an up to ten reuse factor depending on the design and handling.



#### Thermal Deformation:

- Do not expose to temperatures >140°F (60°C)

#### Care and Handling:

- Keep out of the sunlight and covered when not in use
- Keep away from steam, acids, and certain fuels
- For further instructions refer to the application guide

#### Thermal expansion:

- +/- 1/8" @ 70°F

#### Note:

Pattern may require additional backing. We recommend a mockup pour simulating job conditions.

Material	Product Code	# of Reuses	Std. Dims.	Color
Styrene	8043-STY	1	4'x10'	White
ABS	8043-ABS	Up to 10	4'x10'	Gray