

	Mar-Mac Wire, Inc. 229 Mar Mac Wire Rd. McBee, SC 29101 843-335-5000		Title: Contractor Brand Duplex Nail Certification	
			Doc No. S7SP067	Rev. No. 001
			Product Grouping: Duplex Nails	
			Date: 5/2/13	Page 1 of 1
			Responsible Person:	Tracy Gooding



Contractor Brand Duplex Nail Certification

Standard Requirements:

Contractor Brand duplex nails are a specialty nail useful for temporary construction, such as form work when pouring concrete. The nail’s double head makes it easier to remove and pull out of the form boards or other temporary construction.

Chemical Requirements:

Contractor Brand Duplex Nails are produced using a C1006 to C1018 grade of steel as specified in ASTM A510 and ASTM A1040. The wire used to produce the nails will comply with ASTM A853.

Physical Requirements:

Contractor Brand Duplex Nails are supplied in the following sizes:

Nail Size:	6D	8D	10D	12D	16D
Nail Length(*):	2.125"	2.625"	3.125"	3.250"	3.500"
Wire Size:	.113"	.132"	.148"	.148"	.162"

(*) Nail length expressed is the total length of the nail including heads and head gap.

Packaging Requirements:

Contractor Brand Duplex Nails are supplied in 50 pound boxes or 30 pound plastic buckets. Boxes and buckets are packaged 48 per pallet.

Any additional questions in regard to technical or specification information for Contractor Brand nail products can be directed to:

Tracy Gooding
 Technical Services Manager
 Mar-Mac Wire Company, Inc.
 (843) 335-5000