According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)



# ADEKA ULTRASEAL

Date of issue: July /27/2016

P-201A

SDS No.: US-28754

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADEKA ULTRASEAL P-201A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant uses Water stop for construction use

1.3. Details of the supplier of the safety data sheet

Manufacturer:

ADEKA CORPORATION

2-35, HIGASHI-OGU 7-CHOME, ARAKAWA-KU, TOKYO 116-8554, JAPAN

TEL: 81-3-4455-2843 FAX: 81-3-3809-8240

Distributor:

OCM INC.

1215 Henri Drive Wauconda, IL 60084

TEL:866-457-5710 FAX: 847-462-4259

**1.4. Emergency telephone number** TEL:866-457-5710

(9:00am - 5:00pm EST, Monday –Friday (excluding holidays))

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to OSHA Hazard Communication Standard (29 CFR 1910.1200-2012) [GHS]:

-g					
Classification					
Acute tox. Inhal: 4	_				
. Resp Sens : 1					
Carc. : 2					
STOT RF · 2					

# 2.2. Label elements

Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200) [GHS] :

Symbols	<b>♦</b>
Signal word	Danger

According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)



# ADEKA ULTRASEAL

\_\_Date of issue : July /27/2016

US-28754

P-201A SDS No.:

	Harmful if inhaled
	May cause allergy or asthma symptoms or breathing difficulties if Inhaled.
Hazard Statements	Suspected of causing cancer
	May cause damage to organs(inhalation organs, lung) through prolonged or
	repeated exposure
	Use only outdoors or in a well-ventilated area.
	Avoid breathing dust/fume/gas/mist/vapours/spray
	In case of inadequate ventilation wear respiratory protection
	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Use personal protective equipment as required.
	Do not breathe dust/fume/gas/mist/vapours/spray
	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
Precautionary Statements	Call a POISON CENTER or doctor/physician if you feel unwell
	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest
	in a position comfortable for breathing.
	If experiencing respiratory symptoms call a POISON CENTER or doctor/
	physician.
	IF exposed or concerned : Get medical advice/attention.
	Get medical attention/advice if you feel unwell.
	Store locked up.
	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

2.3. Unclassified hazards: None

# 2.4. Percentage of ingredients with unknown toxicity: 45~55%

# **SECTION 3: Composition/information on ingredients**

Product-type: mixture

Name	%	CAS No.	Classification according to OSHA HCS (29 CFR 1910.1200)
Urethane prepolymer	45~55	Trade secret	-
Inorganic filler	25~35	Trade secret	-
Aliphatic hydrocarbon	10~20	Trade secret	-
Silica ( amorphous )	5~10	Trade secret	-
Titanium dioxide	1~5	13463-67-7	-

According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)



# ADEKA ULTRASEAL

Date of issue: July /27/2016

P-201A

SDS No.: US-28754

			Acute tox. Inhal: 4, Skin Irrit: 2
Benzene, 1,1'-methylenebis	<0.5	101-68-8	Resp Sens: 1, Eye Irrit: 2
[4-isocyanato-	<b>V</b> 0.5	101-00-0	Skin Sens: 1, Carc.: 2
			STOT. RE: 2, STOT. RE: 3

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Skin contact

Wash off immediately with plenty of soap and water. Take all contaminated clothing off immediately. Seek medical advice if irritation develops.

### Eye contact

Immediately flush with large quantities of clean water for at least 15 minutes and call a physician.

#### Inhalation

Move affected person to fresh air. In case of exposure to respiratory system or mucous membranes, or if you feel unwell or in case of prolonged exposure, get medical attention.

#### Ingestion

Do not induce vomiting. See a physician immediately.

#### Note to physician

None

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

Dry sand, foam, carbon dioxide or dry chemical agents.

#### 5.2. Specific hazards arising from the mixture

Smoke, fumes, oxides of carbon and NOx.

#### 5.3. Special protective equipment and precautions for firefighters

Firemen should wear normal protective equipment (full bunker gear) and positive-pressure self-contained

According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)



# ADEKA ULTRASEAL

Date of issue : July /27/2016

P-201A

SDS No.: US-28754

breathing apparatus.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Clean-up personnel should wear protective clothing and equipment to prevent inhalation of dusts and skin and eye contact.

### 6.2. Environmental precautions

Do not flush into the sewer.

#### 6.3. Methods and material for containment and cleaning up

Carefully collect the spilled material and place in a bucket. The area should be thoroughly cleaned.

#### 6.4. Reference to other sections

See Section 8+13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with eyes. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. Avoid prolonged or repeated breathing of vapour. Avoid prolonged or repeated contact with skin. Do not allow it to reach to the waterways.

Avoid vapor formation and ignition sources.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store away from heat / moisture / strong oxidizing agents.

# 7.3. Specific end use(s)

None

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

	OSHA PEL <sup>2)</sup> TWA		ACGIH TLV 3)			
Name			STEL		TWA	
	mg/m³	ppm	mg/m³	ppm	mg/m³	ppm
Titanium dioxide	15				10	
Benzene, 1,1'-methylenebis [4-isocyanato-		0.005				0.005

According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)



# ADEKA ULTRASEAL

Date of issue: July /27/2016

P-201A

SDS No.: US-28754

#### 8.2. Exposure controls

#### **Appropriate engineering controls**

Where this material is not used in a closed system, good enclosure and local exhaust ventilation should be provided to control exposure.

# Individual protection measures, such as personal protective equipment

Eye/face protection: Safety glasses or splash goggles. Contact lenses should not be worn.

#### Skin protection

**Hand protection:** Chemical resistant gloves. Wear overall and closed footwear.

Other: No information available

**Respiratory protection:** If vapors, mists or aerosols are generated, wear an approved respirator.

Thermal hazards: No information available

**Decomposition temperature:** 

#### **Environmental exposure controls**

Treat this product in accordance with the directives and regulations in the United States.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance:Gray puttyOdor:Slight odor

Odor threshold: No data available No data available :Ha Melting point/freezing point °F (°C): No data available Initial boiling point and boiling range °F (°C): No data available Flash point °F (°C): No data available **Evaporation rate:** No data available Flammability (solid, gas): No data available **Upper/lower flammability or explosive limits:** No data available Vapor pressure (kPa): No data available Vapor density: No data available 1.25 at 77°F (25°C) 1) Relative density: Solubility water solubility: No data available fat solubility: No data available Partition coefficient (n-octanol/water): No data available **Auto-ignition temperature:** No data available

No data available

According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)



# ADEKA ULTRASEAL

Date of issue: July /27/2016

P-201A

SDS No.: US-28754

Viscosity (mPa•s): No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2. Chemical stability

Stable under normal ambient conditions (ambient temperature)

#### 10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

#### 10.4. Conditions to avoid

Keep away from heat, moisture and static discharges.

Cold condition (below 5°C)

#### 10.5. Incompatible materials

Keep away from oxidizing agents, peroxides and strong acid.

#### 10.6. Hazardous decomposition products

Thermal decomposition or combustion may produce oxides of carbon and oxides of nitrogen.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

**Acute toxicity:** No data available, but may be harmful if swallowed.

**Skin corrosion/irritation:** No data available, but may cause skin irritation

Serious eye damage/irritation: No data available, but may cause eye irritation

**Respiratory or skin sensitization:** No data available, but may be harmful if inhaled.

**Germ cell mutagenicity:** No data available.

Carcinogenicity: Not listed as a carcinogen by ACGIH,NTP,IARC,OSHA or NIOSH.

Reproductive toxicity: No data available

STOT-single exposure: No data available

According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)



# ADEKA ULTRASEAL

Date of issue: July /27/2016

P-201A

SDS No.: US-28754

STOT-repeated exposure: No data available but may cause damage to organs through

prolonged or repeated exposure

Aspiration hazard: No data available

**SECTION 12: Ecological information** 

**12.1. Toxicity**No data available, but may be harmful to aquatic life

**12.2. Persistence and degradability**No data available

**12.3. Bioaccumulative potential**No data available

**12.4. Mobility in soil** No data available

**12.5. Results of PBT and vPvB assessment**No data available

**12.6. Other adverse effects**No data available

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

**Incineration:** Should be in accordance with local regulations.

**Recycling:** Should be in accordance with local regulations.

**Land filling:** Should be in accordance with local regulations.

**SECTION 14: Transport information** 

**14.1. UN number** See the below table

**14.2. UN proper shipping name** See the below table

**14.3. Transport hazard class(es)**See the below table

**14.4. Packing group** See the below table

**14.5. Environmental hazards**See section 14.2 in accordance with UN shipping name

**14.6. Special precautions for user**Relevant information under SECTION 6 to 8.

According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)



# ADEKA ULTRASEAL

Date of issue: July /27/2016

P-201A SDS No.: US-28754

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

	UN No.	Class	Proper shipping name	Packing group	Marine pollutant
IMDG	None				None
ADR/RID	None				
ICAO/IATA	None				

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Not available.

US FEDERAL TSCA:	REGULATIO TSCA INVE		□ not registered     □ not registered	I	
SARA TIT	LE III				
SECTION	N 313 TOXIC	CHEMICALS:	COMPONENT	CAS RN	Wt%
		Benzer	ne, 1,1'-methylenebis [4-isocyanato-	101-68-8	<0.5
Californi	a Prop. 65:		COMPONENT	CAS RN	Wt%
			None		
INTERNAT CEPA	IONAL INFOI : DSL	RMATION:    registered		not registere	ed

#### **SECTION 16: Other information**

Reference: 1) Our testing data

- 2) OCCUPATIONAL SAFETY AND HEALTH STANDARDS (OSHA, 2015)
- 3) Threshold limit values of chemical substances and physical agents and biological exposure indices ACGIH(2016)

# **Technical contact point**

Japan: ADEKA CORPORATION USA: OCM INC.

According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)



# ADEKA ULTRASEAL Date of issue : July /27/2016

P-201A SDS No.: US-28754

To the best of our knowledge, the information contained herein is accurate. However, neither ADEKA CORPORATION nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.